

CERTIFICATE

Number: 2198371

Issued to:

Geldof P. NV

Vlamingstraat 8
8560 Wevelgem
Belgium

Field of attention:

Producer, Processor

Better Biomass

DEKRA Certification B.V. declares that the process(es) and/or unit(s) of the licensee Geldof P. NV, has/have been assessed according to the certification scheme NTA 8081, for the scope: Residual woody biomass: untreated processed "A" wood [150], treated processed "B" wood [170] and that nothing has come to our attention to cause us to believe that the production process(es) of Geldof P. NV as specified below, do(es) not comply with the requirements of NTA 8080 and there is a justifiable confidence that Geldof P. NV will comply with the requirements of NTA 8080 during the period till the next assessment.

This certificate covers the following unit(s) and process(es), meeting the criteria of the latest version of the NTA 8080 standard:

Unit no.	Name of unit	Address	Geographical co-ordinates
1	Geldof P. NV	Vlamingstraat 8, Wevelgem, Belgium	50°48'52.6"N 3°12'40.3"E
2	Geldof P. NV	Pathoekweg 212, Brugge, Belgium	51°16'08.5"N 51°16'08.5"N

Certificate expiry date: 1 January 2022
Certificate effective date: 1 January 2017
Certified since: 1 January 2017

DEKRA Certification B.V.



drs. G.J. Zoetbrood
Managing Director



R.C. Verhagen
Certification Manager

© Integral publication of this certificate and adjoining reports is allowed

This certificate can not be used as a certificate of guarantee of delivered goods!

